

Technical data sheet Version 2

Impregnation Disinfector, Disinfector Concentrate

ТУ 2386-009-49630959-05

Purpose For the treatment and protection of wooden, concrete, brick coatings from mold, fungus, insects.

Properties Does not tint wood. Does not form a film. Does not have an unpleasant odor.

Состав	Disinfector	Concentrate disinfectant
	Aqueous solution of salts.	A concentrated aqueous solution of salts.
Packing	<i>Disinfector</i>	<i>Concentrate disinfectant</i>
	Пластиковая тара массой 0,5 кг, 1 кг, 5 кг, 10 кг, 30 кг	Plastic containers weighing 1 kg, 5 kg

Technical Specifications

Appearance	Colorless or light straw liquid, slight turbidity and sediment possible
Density at 20°C, g/cm ³	1,03-1,12
Frost resistance, cycles	5
pH	2,5-5,5
Total drying time, hour	24
Temperature of application, °C, not less	+8
Consumption (for one coat)	1 л на 5-7 м ²

Storage conditions Store in a tightly closed container, away from heaters and direct sunlight, at a temperature not below 0oC. In case of freezing, thaw products at room temperature and mix thoroughly until homogeneous mass. After thawing it retains its full properties.

Guaranteed shelf life In unopened container manufacturer 60 months from the date of manufacture.

Transportation By all means of transport in conditions excluding the influence of atmospheric factors (covered vans, wagons, etc.). Duration

of transportation at temperatures below 0°C should not exceed 1 month. Product does not belong to dangerous goods. Code of emergency measures is not required.

Waste disposal

Containers and unused remains of impregnation after drying are disposed of as household waste.

Safety

Products are fire and explosion-proof and non-toxic. Use personal protective equipment for hands and respiratory system. When using the product do not smoke, do not drink, do not eat. In case of contact with skin and eyes wash with water. Keep out of reach of children. Avoid contact with water and soil. Do not use on metal, painted, glass surfaces and tiles.

All information is correct on the day of publication. Published technical data and instructions are subject to change without notice.